## AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application.

## LISTING OF CLAIMS

1. (Currently Amended) Apparatus, comprising: including

a media reader having a read element capable of being communicatively coupled to a

DVD compliant with the CSS specifications and containing digital content;

a storage element including an input disposed for receiving the digital content from the media reader a DVD, the storage element being capable of non-evanescently storing that the digital content using a storage technique substantially different from the DVD, the digital content from the DVD complying with a CSS license to discourage unauthorized copying of the digital content; and

a playback device coupled to the storage element, the playback device having an input disposed for receiving the digital content and an output configured to output a media stream derived from the digital content, having an output disposed for coupling a media stream represented by that digital content for presentation, the digital content complying with the CSS license at the input scrambled in accordance with a content scramble system (CSS) of the playback device to discourage unauthorized copying of the digital content; and

a media reader, the media reader having a read element capable of being coupled to the DVD.

217 1026.01 2 Serial No: 10/801,091

Examiner: Dang, Hung Q. Art Unit: 2621

2. (Currently Amended) Apparatus as in claim 1, wherein the output for presentation

includes a signal following standards for protected signals specified by the CSS specifications

license.

3. (Currently Amended) Apparatus as in claim 1, whereby the playback device includes

a CSS <u>Descrambler</u> descrambler.

4. (Currently Amended) Apparatus as in claim 1, whereby the playback device

incorporates and implements the functionalities of Disc Key Recovery Logic, Title Key

Recovery Logic, and the Content Scrambling Algorithm, and incorporates utilizes the Master

Key pair.

5. (Original) Apparatus as in claim 1, whereby the playback device does not incorporate

or implement the functionality of the CSS Authentication Algorithm, or incorporate the

Authentication Key.

6. (Currently Amended) Apparatus as in claim 1, whereby the media reader does not

incorporates incorporate or implement the functionalities of any of Disc Key Recovery Logic,

Title Key Recovery Logic, or the Content Scrambling Algorithm, or incorporate the Master Key

pair.

7. (Original) Apparatus as in claim 1, whereby the media reader incorporates and implements the functionality of the CSS Authentication Algorithm, and incorporates the Authentication Key.

8. (Currently Amended) Apparatus as in claim 1, whereby the media reader <u>comprises</u> is or <u>contains</u> an Authenticator for CSS Decryption Module and the playback device <u>comprises</u> is or <u>contains</u> a <u>CSS</u> Descrambler, such terms as defined in the <u>CSS Procedural Specifications</u>.

- 9. (Canceled)
- 10. (Canceled)
- 11. (Canceled)
- 12. (Canceled)
- 13. (Canceled)

14. (Currently Amended) Apparatus as in claim 1, wherein the main printed circuit board of the playback device has at least five layers, and signals containing unscrambled compressed audiovisual data or key material <u>used in unscrambling digital content</u> run wherever feasible on traces in interior layers of the board.

217 1026.01 Examiner: Dang, Hung Q.

Serial No: 10/801,091 Art Unit: 2621

- 15. (Currently Amended) Apparatus as in claim 1, wherein a signal containing unscrambled compressed audiovisual data or key material is processed by an integrated circuit included in said playback device, wherein said circuit is area-array packaged and surface-mounted, and wherein said signal is routed via interior contacts of said integrated circuit whenever feasible those integrated circuits in the playback devices signals containing unscrambled compressed audiovisual data or key material run are area-array and such signals run wherever feasible on interior contacts of such integrated circuits, and wherein those integrated circuits are surface-mounted.
- 16. (Currently Amended) Apparatus as in claim 1, whereby a user can only <u>control</u> interact with the apparatus through either an on-screen display and associated touchpad and IR remote control protocols, or through a Web user interface.
- 17. (Currently Amended) Apparatus as in claim 1, wherein said media stream comprises analog audio data, and whereby said, the audio data output from the playback device is either in a compressed format or else in a Linear PCM format in which the transmission information is sampled at no more than 48 kHz and no more than 16 bits.
- 18. (Currently Amended) Apparatus as in claim 1, wherein said media stream comprises analog video data, and whereby said, the analog video data output from the playback device does

217 1026.01 5 Serial No: 10/801,091

Examiner: Dang, Hung Q. Art Unit: 2621

not have higher resolution than standard definition, unless the <u>digital</u> content <del>recorded on the</del> <del>DVD</del> has itself that higher resolution.

19. (Currently Amended) Apparatus as in claim 1, <u>further comprising</u>:

a plurality of playback devices coupled to the storage element, each of said plurality of

playback devices having an input disposed for receiving the digital content and an output

configured to output a media stream derived from the digital content,

wherein each of said plurality of playback devices is operable to output a different media stream.

the playback device includes a plurality of those outputs disposed for presentation, at least two of

those the plurality of outputs pairwise having more than one controlling CPU and at least one of

the properties in the set: being logically remote, being physically remote.

20. (Currently Amended) Apparatus as in claim 1, wherein the playback device includes

at least one of those outputs disposed for presentation having output has a distinct controlling

CPU from the storage element and having has at least one of the properties in the set: being

logically remote from the storage element, being physically remote from the storage element.

21. (Currently Amended) Apparatus as in claim 1, the digital content being maintained

6

in a protected form

between the DVD and the media reader,

between the media reader and the storage element,

when maintained stored on the storage element, and

Art Unit: 2621

Examiner: Dang, Hung Q.

between the storage element and the playback device.

22. (Original) Apparatus as in claim 21, wherein

at least two elements in the set: the storage element, the playback device, the media

reader;

have, pairwise, at least two of the properties in the set: being logically remote, being

physically remote, having more than one controlling CPU.

23. (Original) Apparatus as in claim 21, wherein

at least two elements in the set: the storage element, the playback device, the media

reader;

are pairwise physically remote, and have separate controlling CPUs.

24. (Original) Apparatus as in claim 1, wherein the media reader includes at least one

DVD reader.

25. (Previously Presented) Apparatus as in claim 1, wherein the media reader includes a

DVD drive.

26. (Previously Presented) Apparatus as in claim 1, wherein the storage element includes

7

a magnetic disk drive.

Serial No: 10/801,091

27. (Currently Amended) Apparatus as in claim 1, wherein the digital content is maintained in a protected form for at least two cases in the set:

between the DVD and the media reader;

between the media reader and the storage element;

when maintained stored on the storage element;

between the storage element and the playback device.

28. (Currently Amended) Apparatus as in claim 1, wherein the digital content is maintained in a protected form for at least three cases in the set:

between the DVD and the media reader;

between the media reader and the storage element;

when stored on the storage element;

between the storage element and the playback device.

29. (Currently Amended) Apparatus as in claim 21, wherein the protected form includes at least two one of:

an encrypted form of the digital content;

an encrypted form of the digital content <u>scrambled in accordance with CSS</u>; <del>complying</del> with the CSS license;

8

- a form of the digital content including digital rights information;
- a form of the digital content including digital rights information for which it is substantially difficult to remove that digital rights information.

217 1026.01 Examiner: Dang, Hung Q.

Serial No: 10/801,091

30. (Original) Apparatus as in claim 21, wherein the protected form has at least one of the properties in the set:

resistant to attempts to defeat copy protection afforded by the protected form,

impossible to defeat using user tools,

difficult to defeat using professional tools.

31. (Original) Apparatus as in claim 21, wherein the protected form has at least two of

the properties in the set:

resistant to attempts to defeat copy protection afforded by the protected form,

impossible to defeat using user tools,

difficult to defeat using professional tools.

32. (Currently Amended) Apparatus as in claim 21, wherein the protected form is

substantially resistant to attempts to defeat copy protection afforded by the protected form, is

substantially impossible to defeat using user tools, and is substantially difficult to defeat using

professional tools.

33. (Currently Amended) Apparatus as in claim 1, wherein the media reader includes a

first authenticator and the system exclusive of the media reader includes a second authenticator.

Examiner: Dang, Hung Q. Art Unit: 2621

34. (Currently Amended) Apparatus as in claim 33, wherein the system apparatus

complies with the CSS specifications procedures.

35. (Currently Amended) Apparatus as in claim 33, wherein the system is capable of

having the first authenticator and [the] [a] second authenticator authenticate each other before the

media reader permits access to data.

36. (Canceled)

37. (Previously Presented) Apparatus as in claim 1, wherein the storage element has

capacity to concurrently store digital content from plural DVDs.

38. (Currently Amended) Apparatus as in any of claims 1 or 20 or 21 or 32 or 33,

wherein operation of the system includes allows for at least a substantial time duration between a

first time of storage of the digital content at the storage element, and a second time of output of

any media stream derived therefrom in response thereto.

39. (Currently Amended) Apparatus as in any of claims 1 or 20 or 21 or 32 or 33,

wherein the digital content is can be transported [any] [a] substantial distance after being read by

the media reader and before being output by the playback device.

Serial No: 10/801,091

10

40. (Currently Amended) Apparatus as in any of claims 1 or 20 or 21 or 32 or 33, including at least one [a] system internal link, the at least one system internal link including a

link able operable to communicate compressed digital data representing media streams[,][;]

wherein at least one of the following communicated using the system internal link is not substantially accessible to an external entity without an authorized cryptographically secure key: digital information representing at least one media stream, digital rights information, digital rights key information.

41. (Currently Amended) Apparatus as in claim 40, including steps of coupling by a least one via the system internal link, at least two of the set: the media reader, the storage element, the playback device.

- 42. (Canceled)
- 43. (Canceled)
- 44. (Canceled)

45. (Currently Amended) A method of playing a DVD, including steps of reading the DVD including digital content representing at least one media stream in compliance with a scrambled in accordance with a content scramble system (CSS) CSS license

to discourage unauthorized copying of the media stream, the digital content being maintained in

a protected form;

non-evanescently storing the digital content in [a] the protected form using a storage

mechanism different from the DVD; and

playing back the digital content after conversion into analog, digital, or analog and digital

audiovisual content in a second protected from for presentation.

46. (Previously Presented) A method as in claim 45, wherein additional protection is

used on the DVD, by the storage mechanism, or both.

47. (Previously Presented) A method as in claim 46, wherein the additional protection

used on the DVD is different from the additional protection used by the storage mechanism.

48. (Original) A method as in claim 45, wherein the protected form is scrambled in

accordance with CSS complies with CSS procedures.

49. (Original) A method as in claim 48, whereby the step of playing back incorporates

and implements the functionalities of Disc Key Recovery Logic, Title Key Recovery Logic, and

the Content Scrambling Algorithm, and involves the Master Key pair.

Serial No: 10/801,091

12 Examiner: Dang, Hung Q. Art Unit: 2621 50. (Original) A method as in claim 48, whereby the step of playing back does not

incorporate or implement the functionality of the CSS Authentication Algorithm, or incorporate

the Authentication Key.

51. (Original) A method as in claim 48, whereby the step of reading does not incorporate

or implement the functionalities of any of Disc Key Recovery Logic, Title Key Recovery Logic,

or the Content Scrambling Algorithm, or incorporate the Master Key pair.

52. (Original) A method as in claim 48, whereby the step of reading incorporates and

implements the functionality of the CSS Authentication Algorithm, and involves the

Authentication Key.

53. (Currently Amended) A method as in claim 48, further comprising: whereby

the step of reading performs performing the function of an Authenticator for CSS

13

Decryption Module[,]; and

wherein the step of playing back peforms comprises performing the function of a CSS

Descrambler;

as those terms defined in the CSS Procedural Specifications.

54. (Canceled)

55. (Canceled)

Serial No: 10/801,091

56. (Canceled)

57. (Currently Amended) A method as in claim 48, whereby, the audio data output from

the step of playing back is said playing back analog audiovisual content comprises outputting

audio data in either [in] a compressed format or else in a Linear PCM format in which the

transmission information is sampled at no more than 48 kHz and no more than 16 bits.

58. (Currently Amended) A method as in claim 48, whereby, the analog video data

output from the step of playing back said playing back analog audiovisual content comprises

outputting analog video data which does not have higher resolution than standard definition,

unless the content recorded on the DVD physical medium has itself that higher resolution.

59. (Currently Amended) A method as in claim 45, wherein the protected form includes

at least two one of:

an encrypted form of the digital content;

an encrypted form of the digital content scrambled in accordance with CSS; complying

with the CSS-license;

a form of the digital content including digital rights information;

a form of the digital content including digital rights information for which it is

14

substantially difficult to remove that digital rights information.

Serial No: 10/801,091

Art Unit: 2621

Examiner: Dang, Hung Q.

60. (Currently Amended) A method as in claim 45, wherein the protected form includes

an encrypted form of the digital content scrambled in accordance with CSS; complying

with the CSS license; and

an additional layer of protection, by any technique, for any substantial portion of the

steps of reading, storing, and playing back.

61. (Currently Amended) A method as in claim 45, wherein the step of reading occurs in

at least one DVD drive in a media reader having at least one DVD drive.

62. (Canceled)

63. (Original) A method as in claim 61, wherein the media reader includes a first

authenticator.

64. (Currently Amended) A method as in claim 63, wherein the method complies with

the CSS license and the CSS procedural specification procedures.

65. (Currently Amended) A method as in claim 64, wherein part of complying with said

CSS procedures includes said reading comprises having the first authenticator and a second

15

authenticator authenticate each other before permitting access to data.

66. (Canceled)

217 1026.01

Examiner: Dang, Hung Q.

Serial No: 10/801,091

67. (Currently Amended) A method as in claim 64, wherein part of complying with said

CSS procedures includes further comprising:

extracting keys that can be used to descramble CSS data, by an indirect manner from the

key materials copied from the <u>DVD</u> optical dise, using a key associated with the playback

device, that key not being available from the <u>DVD</u>, in compliance with the <u>CSS license and the</u>

CSS procedural specification optical disc.

68. (Currently Amended) A method as in claim 64, wherein part of complying with said

CSS procedures includes said reading comprises having the first authenticator and [a] [the]

second authenticator authenticate each other before the media reader permits access to data, and

said playing back comprises using CSS descrambling procedures.

69. (Original) A method as in claim 45, wherein at least two of the following steps occur

at logically remote locations: the step of reading, the step of non-evanescently storing, and the

step of playing back.

70. (Original) A method as in claim 45, wherein at least two of the following steps occur

at physically remote locations: the step of reading, the step of non-evanescently storing, and the

step of playing back.

217 1026.01

Serial No: 10/801,091 Art Unit: 2621

Examiner: Dang, Hung Q.

16

71. (Original) A method as in claim 45, wherein the step of playing back occurs at a

plurality of playback devices, at least two of those playback devices being pairwise substantially

physically remote from each other.

72. (Currently Amended) A method as in claim 45, wherein a substantial time duration

occurs may occur between the step of non-evanescently storing and the step of playing back.

73. (Canceled)

74. (Currently Amended) A method as in claim 45, wherein the digital content is may be

transported [a] [any] substantial distance between the step of reading and the step of playing

back.

75. (Currently Amended) A method as in claim 45, wherein at least one [a] system

internal link is used between two of the steps of reading, non-evanescently storing, and playing

back, the at least one system internal link including a link able to communicate compressed

digital data representing media streams but which need not be substantially able to effectively

and timely communicate uncompressed digital data representing media streams; and

wherein any key materials in data communicated using the system internal link is are not

substantially accessible to an external entity without an authorized cryptographically secure key.

76. (Withdrawn)

77. (Withdrawn)

78. (Canceled)

79-102. (Withdrawn)

103. (Previously Presented) Apparatus as in claim 1, wherein the storage element includes an array of magnetic disk drives wherein data is stored redundantly in such a way that all data may be recovered after the failure of any one disk drive therein.

104. (New) Apparatus as in claim 1, wherein said playback device further comprises a plurality of outputs configured to simultaneously output said media stream.

105. (New) Apparatus as in claim 1, wherein said playback device further comprises a second output configured to output a second media stream.

106. (New) Apparatus as in claim 1, wherein the media stream comprises analog audiovisual content in a protected form including analog copy protection.

107. (New) Apparatus as in claim 106, wherein the analog copy protection comprises Macrovision copy protection.

217 1026.01 Examiner: Dang, Hung Q.

108. (New) Apparatus as in claim 1, wherein the media stream is protected with a

technique substantially similar to high-bandwidth digital content protection (HDCP).

109. (New) Apparatus as in claim 34, wherein the apparatus is configured to extract keys

that can be used to descramble CSS data, by an indirect manner from the key materials copied

from the DVD, using a key associated with the playback device, that key not being available

from the DVD.

110. (New) A method as in claim 45, wherein said conversion comprises adding

Macrovision copy protection.

111. (New) A method as in claim 45, wherein said conversion comprises applying a

technique substantially similar to high-bandwidth digital content protection (HDCP).

112. (New) A media playback device, comprising:

a network connection for receiving digital content from a remote media storage device,

said digital content scrambled in accordance with a content scramble system (CSS);

a CSS descrambler, coupled to said network connection, for processing said digital

content into a media stream for presentation; and

an output, for outputting said media stream to a presentation device,

wherein said media stream comprises a signal in compliance with a standard for protected

signals specified by the CSS procedural specifications.

113. (New) The media playback device of Claim 112, wherein said media stream

comprises audio data in either a compressed format or in a Linear PCM format in which the

transmission information is sampled at no more than 48 kHz and no more than 16 bits.

114. (New) The media playback device of Claim 112, wherein said media stream

comprises analog video data having resolution no higher than standard definition, unless said

digital content has resolution higher than standard definition.

115. (New) The media playback device of Claim 112, wherein said media stream

comprises analog audiovisual data protected by an analog copy protection scheme.

116. (New) The media playback device of Claim 115, wherein said analog copy

protection scheme comprises Macrovision copy protection.

117. (New) The media playback device of Claim 112, wherein said media stream

comprises digital audiovisual data protected by a digital copy protection scheme substantially

similar to the high-bandwidth digital content protection (HDCP) scheme.

118. (New) The media playback devices Claim 112, further comprising:

217 1026.01 Examiner: Dang, Hung Q.

20 Serial No: 10/801,091

a second output for outputting said media stream to a second presentation device.

119. (New) The media playback device of Claim 112, wherein said network connection

is also for receiving additional digital content from said remote media storage device, said CSS

Descrambler is also for processing said additional digital content into a second media stream,

and said media playback device further comprises:

a second output for outputting said second media stream to a second presentation device

wherein said second media stream comprises a signal in compliance with a standard for

protected signals specified by the CSS specifications.

120. (New) A system, comprising:

a media reader having a read element capable of being coupled to a DVD complying with

the CSS specifications and containing digital content; and

a storage element having an input operable for receiving the digital content from the

media reader,

wherein the storage element is operable to non-evanescently store the digital content in a manner

substantially different from the DVD, such that the stored digital content is protected by a

content scrambling algorithm.

121. (New) The system of Claim 120, wherein said media reader incorporates and

21

implements functionality associated with a CSS Authentication Algorithm, and comprises an

associated Authentication Key.

217 1026.01

Serial No: 10/801,091

Examiner: Dang, Hung Q.

122. (New) The system of Claim 120, wherein said media reader comprises a DVD

drive.

123. (New) The system of Claim 122, wherein said DVD drive comprises a first

authenticator, said media reader comprises a second authenticator, and said system is configured

to have said first authenticator and said second authenticator authenticate each other before said

media reader accesses said DVD.

124. (New) The system of Claim 120, wherein said storage element comprises a

magnetic disk drive.

125. (New) The system of Claim 120, wherein said storage element comprises sufficient

storage to concurrently store digital content corresponding to a plurality of DVDs.

126. (New) A method of reading and storing digital content, comprising:

reading the digital content from a DVD compliant with the CSS specifications;

sending the digital content to a storage device; and

storing the digital content non-evanescently, in a manner substantially different from the

DVD, such that the stored digital content is protected by a content scramble system (CSS).

22

127. (New) The method of Claim 126, further comprising:

217 1026.01 Examiner: Dang, Hung Q.

Serial No: 10/801,091

authenticating a media reader, before said reading is allowed to occur.

128. (New) A system, comprising:

a storage element for non-evanescently storing digital content derived from a DVD,

stored using a technique substantially different from the DVD, and protected by a content

scramble system (CSS), the storage element having an output for sending the digital content; and

a playback device for producing a media stream derived from the digital content, and

having an input for receiving the digital content from the storage element.

129. (New) The system of Claim 128, wherein said media stream comprises audio data

in either a compressed format or in a Linear PCM format in which the transmission information

is sampled at no more than 48 kHz and no more than 16 bits.

130. (New) The system of Claim 128, wherein said media stream comprises analog

video data having resolution no higher than standard definition, unless said digital content has

resolution higher than standard definition.

131. (New) The system of Claim 128, wherein said media stream comprises analog

audiovisual data protected by an analog copy protection scheme.

Examiner: Dang, Hung Q. Art Unit: 2621

132. (New) The system of Claim 128, wherein said media stream comprises digital audiovisual data protected by a digital copy protection scheme substantially similar to the high-

bandwidth digital content protection (HDCP) scheme.

133. (New) The system of Claim 128, wherein operation of said system allows for a

substantial time duration between a first time of storage of said digital content at said storage

element, and a second time of output of said media stream.

134. (New) A method of playing back stored digital content, comprising:

accessing the stored digital content, the stored digital content having been derived from a

DVD compliant with the CSS specifications, stored using a technique substantially different

from the DVD, and protected by a content scramble system (CSS);

sending the stored digital content to a playback device; and

producing a media stream derived from the stored digital content for playback.

135. (New) The method of Claim 134, wherein a substantial time duration elapses

24

between a first time when said digital content is stored and a second time when said digital

content is accessed.

Serial No: 10/801,091

Art Unit: 2621

Examiner: Dang, Hung Q.